



Building Permission Cell, Greater Mumbai / MHADA

(A designated Planning for MHADA layouts constituted as per government regulation No.TPB4315/167/CR-51/2015/UD-11 DT. 23 May, 2018.)

AMENDED IOA

No. MH/EE/(BP)/GM/MHADA-9/803/2026/IOA/1/Amend

Date : 01 September, 2026

To

Chairman/Secretary

'Kannamwar Nagar Datta Niwas
CHSL', Building No.75, Kannamwar
Nagar No.2, on plot bearing CTS No.
356(pt) of village Hariyali, Vikhroli (E)
in S Ward of Mumbai 400083.

Sub : Proposed Redevelopment of building known as 'Kannamwar Nagar Datta Niwas CHSL', Building No.75, Kannamwar Nagar No.2, on plot bearing CTS No. 356(pt) of village Hariyali, Vikhroli (E) in S Ward of Mumbai 400083.

Ref : 1. Application of architect dated 30 June, 2026

2. IOA MH/EE/(BP)/GM/MHADA-9/803/2020/IOA/1/Old dated 31 March, 2021

Dear Applicant,

With reference to your application and in continuation to the IOA issued vide letter No.MH/EE/(BP)/GM/MHADA-9/803/2020/IOA/1/Old dated 31 March, 2021 this is to inform you that the above amended plan for FSI Potential submitted by you are approved subject to the compliance of the conditions mentioned in Intimation of approval dated 31 March, 2021, and following conditions -

C: CONDITIONS TO BE COMPILED BEFORE FURTHER C.C

1. That the R.C.C. design and calculation as per the amended plans shall be submitted through the registered Structural Engineer.
2. That all requisites payment fees, deposits, premium shall be paid.
3. That C.C. shall get endorsed.
4. That the up-to-date paid receipts of A. A. & C. S ward shall be submitted.
5. That the Extra water and sewerage charges shall be paid to MCGM & receipt shall be submitted.
6. That the Valid Janta Insurance policy shall be submitted.
7. That the quarterly progress report shall be submitted by L.S.
8. That the Civil Aviation NOC from Airport Authority of India shall be submitted.
9. That the specific NOC as per Hon'ble Supreme Court of India (S.L.P. Civil No. D23708/2017) Order in Dumping Ground Court Case dated 15/03/2018 shall be obtained from concerned department/S.W.M. Department.
10. The safety measure shall be taken on site as per relevant provision of I.S. Code and safety regulation.
11. That the N.O.C. from local electric supply co. shall be submitted.
12. That the remarks from SWD department shall be submitted.
13. That the NOC from H.E. shall be submitted.
14. That the NOC / consultant remarks from S.G. shall be submitted.
15. That the NOC from PCO shall be submitted.

**Executive Engineer/B.P.Cell
Greater Mumbai/ MHADA.**

Copy to:

- 1) The Hon'ble Chief Officer / M.B., for information and necessary action please.
- 2) Deputy Chief Engineer /B.P. Cell/MHADA.
- 3) The Architect/ Layout Cell/ M.B., for information and necessary action please.
- 4) Executive Engineer Kurla Division, Mumbai Board for information & necessary.
- 5) Chief ICT officer/MHADA for information & uploaded to MHADA website.
- 6) Asst. Commissioner Kannamvar Nagar, Vikhroli (MCGM)
- 7) A.A. & C. S Ward (MCGM)
- 8) A.E.W.W. S Ward (MCGM)
- 9) The Secretary/Chairman
- 10) Sonal Yashwant Arekar

SPECIAL INSTRUCTIONS

1. THIS INTIMATION GIVES NO RIGHT TO BUILD UPON GROUND WHICH IS NOT YOUR PROPERTY.
2. "Every person who shall erect as new domestic building shall cause the same to be built so that every part of the plinth shall be
 - a. Not less than, 2 feet (60 cms.) above the center of the adjoining street at the nearest point at which the drain from such building can be connected with the sewer than existing or thereafter to be- laid in such street.
 - b. Not less than 2 feet (60 cms.) Above every portion of the ground within 5 feet (160 cms.)-of such building.
 - c. Not less than 92 ft.(Town Hall) above Town Hall Datum.
3. Your attention is invited to the provision of Section 152 of the Act where by the person liable to pay property taxes is required to give notice of erection of a new building or occupation of building which has been vacant, to the Commissioner, within fifteen days of the completion or of the occupation whichever first occurs. Thus compliance with this provision is punishable under Section 471 of the Act irrespective of the fact that the valuation of the premises will be liable to be revised under Section 167 of the Act, from the earliest possible date in the current year in which the completion on occupation is detected by the Assessor and Collector's Department.
4. Your attention is further drawn to the provision about the necessity of submitting occupation certificate with a view to enable the V.P. & C.E.O./ MHADA to inspect your premises and to grant a permission before occupation and to levy penalty for non-compliance if necessary.
5. Proposed date of commencement of work should be communicated.
6. One more copy of the block plan should be submitted for the Collector, Mumbai Suburbs District.
7. Attention is drawn to the notes accompanying this Intimation of Approval.
8. That the guidelines for reduction of Air pollution issued by Chief Engineer (D.P.)BMC/ vide No. 214 & 14449 dt.15/09/2023 Hon'ble Municipal Commissioner (BMC) vide No.1102 dt.25/10/2023 and Municipal Commissioner (BMC) vide No. 6526 dtd.13.05.2025 shall be strictly followed on site.
9. That the air pollution mitigation covering all 28 points shall be complied at site and compliance report of same shall be submitted to concerned Executive Engineer of Mumbai Board & B.P. Cell MHADA in first week of every month.

NOTES

1. The work should not be started unless objections are complied with.

17. The water arrangement to be carried out in strict accordance with the Municipal requirements.
18. No new well, tank, pond, cistern or fountain shall be dug or constructed without the previous permission in writing of the VP/CEO /MHADA.
19. All gully traps and open channel drains shall be provided with right fitting mosquito proof made of wrought iron plates or hinges. The manholes of all cisterns shall be covered with a properly fitting mosquito proof hinged cast iron cap over in one piece, with locking arrangement provided with a bolt and huge screwed on highly serving the purpose of lock and the warning pipes of the rabbit pretested with screw or dome shape pieces (like a garden mari rose) with copper pipes with perfections each not exceeding 1.5 mm in diameter. The cistern shall be made easily, safely and permanently accessible by providing a firmly fixed iron ladder, the upper ends of the ladder should be earmarked and extended 40 cms above the top where they are to be fixed as its lower ends in cement concrete blocks.
20. No broken bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.
21. Louvres should be provided as required by Bye law No. 5 (b)/b. Lintels or Arches should be provided over Door and Windows opening/ c. The drains should be laid as require under Section 234-1(a)/d. The inspection chamber should be plastered inside and outside.

Sd/-

01 September, 2026

Mr. Mahesh Jadhav

**Executive Engineer/B.P.Cell
Greater Mumbai/ MHADA.**