



Building Permission Cell, PMAY cell/A

(A designated Planning Authority for PMAY constituted as per government regulation no. TPB4315/167/CR-51/2015/UD-11 dtd. 23.05.2018)

INTIMATION OF APPROVAL (IOA)

U/S 45 (1) (ii) of MRTP Act 1966, as amended upto date

No. EE/BP / PMAY/A/MHADA/ /2026
Dated: -

To,
Ray Nagar Housing Co-Operative Soc. Federation Ltd.
South Solapur,
1762. Datta Nagar, Solapur-413005

SUB: Proposed development for 216 EWS tenements, on plot Gut No.986(Part), situated at Mouje: Kumbhari, South Solapur, Dist. Solapur under vertical AHP – PPP model under PMAY scheme.

REF: Your's application dated 25/02/2026

Sir,

With reference to your application U/S 44 of the MRTP Act 1966 for building permission submitted with letter dated 25/02/2026 and the plans, Sections, Description and further particulars and details of your buildings at Proposed development of building no. 1 to 6 of Gr+2 floor for 216 EWS tenements on plot bearing Gut No.986(Part), situated at Mouje: Kumbhari, South Solapur, Dist. Solapur under AHP model (PPP) under PMAY scheme.

I have to inform you that I may approve the building or work proposed to be erected or executed, and I therefore hereby formally intimate to you U/S 45(i)(ii) of the MRTP Act 1966 as amended upto date, my approval by reasons thereof subject to fulfillment of conditions mentioned as under

CONDITIONS TO BE COMPILED WITH BEFORE APPLYING FOR Plinth C.C./FURTHER C.C. / O.C.

1. That the commencement certificate U/s-45 of MRTP Act shall be obtained before starting the proposed work.
2. That the structural Engineer shall be appointed and supervision memo as per provisions of unified DCPR shall be submitted by Applicant. The registration certificate shall be submitted before asking Plinth C C.
3. That the work should be carried out under the supervision of the competent registered Architect, licensed structural Engineer & Licensed Civil Engineer.

The structural Design and calculations for the proposed work accounting for system analysis as relevant IS code along with plan shall be get approved from reputed agency and one copy shall be submitted before start of work.

4. That the sanitary arrangement and drainage works shall be carried out as per the completion certificate of P.M.C. or licensed plumber for water supply line, sanitary work, drainage work shall be submitted before asking O.C.
5. The work should be carried out as per sanctioned plans & no additional F.S.I. should be utilized other than as per sanctioned plans. If construction has been done beyond sanctioned or other than sanctioned plan then necessary action should be done as per clause no.52 of MRTP ACT 1966 & also it is your responsibility to remove the additional construction at your own cost. The proposed construction should be restricted for RESIDENTIAL purpose only.
6. That the work should be carried out on the plot/ land proposed for above project as per approved layout vide letter No. जा क्र. अं.मं. व बां.प.कक्ष /पीएमएवाय/ए-८५६३१४५/२०२६ दिनांक ०६/०३/२०२६. All conditions of this approved layout are binding on applicant/ owner & are mandatory to comply.
7. It is to be understood that the foundations must be excavated down to hard soil and as per the soil testing report. For this, Necessary trial pits / trial bores shall be taken at the captioned property to ascertain the bearing capacity of the soil and foundation shall be designed accordingly. The copy of soil test report approved by competent authority should be submitted to this office before actual start of work.
8. That you have to prepare complete structural design , drawings for the bldgs to be constructed. The R.C.C. design shall be confirming to IS 456 of 2000 and relevant IS amended time to time. The RCC design shall be prepared taking into consideration the protection against seismic forces required for earthquake resistance structures and shall be based on appropriate seismic coefficient as per prevailing relevant IS. The RCC Design of buildings shall be got approved from institutions such as IIT Mumbai/VJTI Mumbai/VNIT Nagpur/COE Pune or any other Gov. reputed Institute before actual start of work the copy of the same should be submitted to this office before actual start of work & work should carried out under the supervision of R.C.C. Consultant.
9. That the work should be carried out entirely at applicant's own risk and cost and the Planning Authority/PMAY/MHADA will not be responsible for any mishap or irregularity at any time.

- work
net
10. That the 7/12 extract of land should be free hold, if loading is on the 7/12 then, the same should be make free hold & the fresh free hold 7/12 should be submitted before further C.C.
 11. That the responsibility of any damage or loss of adjoining properties if any will vest entirely with the applicant and Planning Authority/PMAY/MHADA will not be responsible in any matter whatsoever.
 12. All the terms and conditions mentioned in this IOA & Plinth C.C. to be issued will be applicable to the applicant and the Indemnity bond in prescribed Performa agreeing the terms and conditions in IOA & Plinth C.C. to be issued shall be submitted by the applicant at the time of issue of I.O.A.
 13. If any dues are pending with Local Authority, N.A. Charges, Agriculture Tax or any other charges to be pending with concerned Authorities then the same should be cleared by Applicant and NO- Due Certificate with effect that should be submitted to this office before asking for O.C.
 14. That the concerned Architect/Licensed Surveyor & Applicant/ Developer/Owner should give certificate that, the newly constructed building is in accordance with the plans approved by Planning Authority/PMAY/MHADA.
 15. That the developer shall construct the approach road & internal road of layout at their own cost.
 16. **That the road widening area if any, should be handed over to the local authority before asking O. C. & the approach road of 12.00m width proposed shall be constructed at your own cost before asking for O.C., if not constructed by Local Authority.**
 17. Requisitions of clause as per the Prevailing Development control Regulations of unified DCPR shall be complied with & Records of good quality of work, verification report, material test reports etc. shall be maintained on site till completion of the entire work.
 18. As per the Unified DCPR ,development / construction of building requiring clearance from the authorities like Railway, Directorate of Industries, Maharashtra Pollution Control Board, District Magistrate, Inspectorate of Boilers and Smoke Nuisance, Defense Department, Maharashtra Coastal Zone Management Authority, Archaeological Department etc, the relevant no objection certificates from these authorities, if applicable shall be submitted before further C.C.
 19. That the requirements of final N.O.C. from (i) M.S.E.B. before completion of work. (ii) PWD road Department before start of work., if necessary (iii) Water Supply Department before completion of work. (iv) Health Department before

O.C. (v) NOC from concern Authority for parking etc's shall be obtained before completion of work. (vi) Drainage NOC from concern Authority before completion of work. (vii) To concern Local Tree Authority department and obtain NOC from them before start of work (viii) That the N.O.C. from Collector Dept. for excavation of land before start of work shall be taken & submit to this office.

20. If the land of the subjected project is affecting High Tied Line under red zone then plinth level of building should not be less than height of 0.50 meter above the Red Flood Line level as per clause 11.3 of Prevailing Development control Regulations of Regional Plan Area. Normally the plinth height should not be less than 0.30 meter above ground level or road level whichever is maximum as per UDCPR
21. That the qualified / Licensed registered site supervisor should be appointed for supervising the site.
22. This I.O.A. is being issued subject to submission of the notarized Comprehensive undertaking on Rs. 500/- Stamp paper in prescribed Performa.
23. That the it is owner's responsibility to provide Water supply, Electric Supply & Drainage arrangement & also other basic facilities. The NOC of the Same from concern department shall be submitted before issue of Plinth C.C.
24. That all the buildings are required to be designed with the requirements of all relevant IS codes including IS code 1893 for earthquake design (as per Earthquake Zone), the stability certificate as per UDCPR clause No.2.2.15 from Structural Engineer to that effect shall be submitted before issue of Further C.C./ O.C
25. That the owner / developer shall display a board at site before starting the work giving the details such as name and address of the owner / developer, Architect and structural engineer. A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.
26. That the as per clause No.13.3 of UDCPR for Rain Water Harvesting & clause No.13.2 of UDCPR for Solar Water Heating system or RTPV as per adequate design should be provided.
27. That the Soil investigation will be done and report thereof will be submitted along with structural design and calculations before asking Plinth C.C./ Further C C.

28. That, it is mandatory to provide STP in adequate design approved by concern authority & also if the plot is more than 4000.00 sq. m. then, Sewage Water Treatment recycling plant shall be provided for subjected project.
29. That the MAHA RERA registration is mandatory for above project and registered copy for the same should be submitted before asking for further C.C.
30. The amount of Rs.22,900/- (Rupees Twenty Two Thousand Nine Hundred Only) to be deposited to the Planning Authority as security deposit before issue of Plinth C.C. & shall be forfeited either in whole or in part at the absolute discretion of the Planning Authority for breach of any of the conditions stipulated in this I.O.A. as well as Commencement Certificate for Plinth. Such forfeiture shall be without prejudice to any other remedy or right of the Planning Authority.
- 31. That registered Development agreement between land owner & Ray Nagar if required regarding the proposed development on the subject land shall be obtained & submitted to this office before applying for Further C C.**
32. That the Architect, Structural consultant & Licensed supervisor shall verify the scheme is in progress as per sub-structure, super structure & as per plans sanctioned.
33. All terms and conditions of RERA Act 2016, Unified DCPR, NBC Code and D.P. Remarks will be binding to this project.
34. That the notice in the form of UDCPR shall be submitted on completion of plinth & after that, the plinth shall be got checked by this office staff before commencement of work above plinth/further super structural work. Further work of above plinth should not be started before verification of this office staff.
35. That the debris shall be disposed as per the norms of respective Local Authority.
36. That the payments intimated by Executive Engineer, BP/ PMAY/ A /MHADA shall be paid before issue of IOA / Plinth C.C. & if any other outstanding that may be asked by any other Govt. Dept./ planning authority, MHADA or Local Authority, the same shall be borne by the Owner/Developer/Applicant.
37. That the MOU/Agreement must be executed with concerned nodal agency department and copy of the same should be submitted before asking further C.C. All terms & conditions of MOU are binding to this project. The tenements for PMAY should be constructed as prescribed in the MOU /Agreement executed.
38. That the amended remarks of concerned authorities / empanelled consultants for the approved plan, if differing from the plans submitted for remarks, shall be submitted from respective Authorities.
39. That the work should be carried out and the Material testing should be done of all required material as per IS code, Red Book & N.B.C's Specifications & the

- report for construction materials used at site shall be obtained from Govt. Approved Laboratory as per required frequency.
40. That every person who shall erect as new domestic building shall cause the same to be built so that every part of the plinth shall be so located with respect to surrounding ground level that adequate drainage of the site is assured but height shall not be less than 0.30 m. above the surrounding ground level as per clause of UDCPR
 41. That the proposed actual date of start of work should be communicated to this office. That the quality control for building work/for structural work/supervision of the work shall be done. The monthly progress report of the work will be submitted through the Architect.
 42. That all the terms and condition of Central and State govt. G.R.'s/ notification issued time to time which are related to AHP (PPP) under PMAY are binding to this scheme.
 43. That the Water connection for constructional purpose from concern authority shall be taken with prior approval from concern authority and if bore water shall be used for construction purpose then the same water shall be tested from reputed laboratories.
 44. That to safeguard the plot is owner's/applicant's responsibility. The plot should be encroachment free. If any type of encroachment/unauthorized construction to be done on the plot area of layout after IOA issued then the same shall be removed by the applicant/owner at his own risk and cost, Planning Authority/PMAY/MHADA is not responsible for the same.
 45. The NOC from Airport Authority is mandatory if necessary. & shall be submitted before Plinth C.C. All the terms and conditions of Airport Authority's NOC for subjected project should be adhered to and complied with
 46. That the Provisions of the notifications of of dated 14/09/2006, 9/12/2016 & circular of dtd 27/12/2018 of Ministry of Environment, Forest & Climate change should be adhered to the applicant & action to be taken accordingly by applicant.
 47. That if the Construction area for subjected project mentioned in plan is more than 20,000.00 sq.mtr. Accordingly you have to obtain the environment clearance from State Level Environment Impact Assessment Authority before issue of Plinth C C. The terms and conditions of E.C. are binding to the applicant / Developer.
 48. That the if Bldg Height is more than 24.00 m then the Fire / CFO Noc is mandatory and should be submitted before issue of Plinth C.C.
 49. If in sanctioned layout there is existing well they the well shall be maintained & shall be protected.
 50. Recreational open space shall have on independent means of access.
 51. The owner shall have to give an undertaking that the recreational open space shall be for the common use of all the residents or occupants of the layout / building unit

as per clause 3.4.2 of UDCPR. The conditions of clause 3.4.2 (i)(ii) of UDCPR is binding on owner / applicant.


52. If, any amendment is required in sanctioned plan then the approval for revised amendment plan is required to be taken by Planning Authority / PMAY/MHADA.
53. That the applicant shall permit the use of the internal layout roads to provide access to an adjoining land of layout & also shall provided access to recreational Open space & Amenity.
54. That the marginal distances shall be provided as per sanctioned plans & compound wall shall be erected on site for entire layout before asking of further C.C. To insure that marginal distance can be measured as per drawing before issuing plinth completion certificate.
55. The compound wall shall be constructed as per design given by RCC Consultant. Strengthening of compound wall is whole responsibility of applicant. Also at some place to avoid land slides R.C.C. retaining wall should be necessary, the same should be designed by R.C.C. Consultant. If the plot is uneven & if the retaining wall is necessary then the same shall be provided to avoid land sliding.
56. That the applicant shall provide Over-Head water tank and Under Ground water tank to the bldg as per standard design and satisfaction of concern authority.
57. That the applicant shall strictly follow the prevailing Rules /Orders / Notification issued by the Labor Department, GoM from time to time, for labours working on site.
58. That the applicant shall provide at his own cost, the infrastructural facilities (such as internal Access, approach road, channelization of water, arrangements of drinking water, arrangements for commutation, disposal of sludge and sewage, arrangements of collection of solid waste ect) within the plot, of such standards (i.e. standards relating to design, material or specification) as stipulated by the corporation, before applying for Occupancy Certificate. Occupancy Certificate will be granted only after all these arrangements are made to satisfaction of the Planning Authority as well as Local Authority.
59. That this I.O.A. is being issued subject to submission of under taking for NOC of civil aviation if necessary, NoC of CFO, NOC of environmental clearance before issue of Plinth C.C.. NOC for water supply, electrical & drainage before issue of Plinth C.C. & receipts of No Due Certificate from Local Authority for N.A. Charges or any other charges related to land paid upto March 2023 before asking Further C.C.
60. If Trees are affected to the project then the NOC from concerned Authority is mandatory. The NOC should be taken from concern authority before actual start of

- work. The Nos of trees should be provided as per the concerned Authority's norms before issue of O.C.
61. If any other departments NOC is required other than mentioned in this I.O.A., the same shall required to be obtained and copy to be submitted to this office.
 62. That the, if there is a nallah or river existing near by or on subjected project's land then the NoC or remarks from concern Irrigation Department is required & the terms and conditions are binding to the project & to be complied with.
 63. That the approach road should be provided for electric substation / transformer also amenity space & R.G.. Also, the adequate space should be provided for waste water treatment & recycling plant
 64. The plot boundary should be confirmed from measurement drawing before actual start of work and fencing / barricade should be provided to whole plot as a boundary before actual start of work.
 65. The conditions of I.O.A. shall be binding not only on the applicant but also on his successors and every person deriving title through or under them.
 66. **That the Intimation of Approval is given exclusively for the purpose of enabling you to proceeds further with the arrangements of obtaining No Objection Certificate from the Competent Authorities wherever required not for start of subjected work.**
 67. **The Construction work will be start only after the Commencement Certificate upto Plinth u/s 45 of MRTP ACT will be issued from EE/BP/PMAY/A**
 68. **That Amenity Building (Society Office, Creche, Fitness Center) as per UDCPR clause no.9.31 for the proposed tenements shall be constructed and made available to use before issue of O.C.**
 69. That, if you failed to fulfill the IOA conditions then the commencement certificate will be granted under Section 45 (ii) of the Maharashtra Regional and Town Planning Act 1966, to be withdrawn.
 70. That the Planning Authority / PMAY / MHADA reserve its right to withdraw, change, alter amend their IOA/Plinth C.C. letter and conditions mentioned herein in future at any point of time without giving any reason to do so.
 71. **That the sanctioned houses under PMAY-U scheme have been granted extension up to 30/09/2026 vide Central Govt. GR dtd.27/02/2026. The same shall be adhered to the applicant & accordingly the work of project shall be completed before 30/09/2026 by the applicant.**
 72. **That the latest guidelines issued by CSMC/ SLSMC regarding the Central & State Fund released shall be applicable to you for the subjected project. The EE/BP/PMAY/A/MHADA will not be responsible for Central and State fund released for the subjected project.**

73. That this IOA is issued based on available/submitted document. If it is subsequently found that the document/information submitted with your application for building permission are incorrect or forged, misleading then this IOA/Plinth C.C. will be cancelled and applicant will be held responsible for the consequences/losses, if any thereof arises in future.
74. That the Hon. Vice President/Authority, MHADA reserve the right to cancel the building permission (IOA/Plinth CC) without giving any notice.
75. All necessary precautionary measures as per guidelines for Air Pollution Mitigation during the building construction activities to be followed

DA: - one set (6 nos of plans)

AB/TE
copy
out


Executive Engineer/B.P.Cell
PMAY/ MHADA

Copy forwarded for favour of information :

1. Pravin P. Deodhar, Naam Arch. A-103, Milind CHS, Lane No. 4, Pendse Nagar, Dombivli (E) – 421 201 For Information
2. Chief Officer, Pune Board, MHADA.
3. Asst. Director of Town Planning, Solapur, Opp. Hutatma Smruti Mandir, Park Chowk, Solapur-413 001
4. Chief I.C.T. Officer, MHADA for information & to be uploaded on official MHADA website.
5. Executive Engineer-II/PMAY/MHADA/A, for information

AB/TE
copy
out



Executive Engineer/B.P.Cell
PMAY/ MHADA

PARKING REQUIREMENT (AS PER FIG. NO. 1A.1, TABLE NO. 8)

S. NO.	BUILDING NO.	OCCUPANCY	SITE OF TENEMENT	PARKING SPACES REQUIRED FOR NON CONCRETE AREA		TOTAL REQUIRED PARKING	
				CAR	SCOOTER	CAR	SCOOTER
			For every tenement having carpet area of 150 sq.m. and above	2	3	0	0
			For every tenement having carpet area equal to or above 80 sq.m. but less than 150 sq.m.	1	3	0	0
			For every two tenements with each tenement having carpet area equal to or above 40 sq.m. but less than 80 sq.m.	1	5	0	0
11	Building 1 TO 6	Residential	For every two tenements with each tenement having carpet area less than 40 sq.m. but more than 20 sq.m. tenements with each tenement having carpet area less than 20 sq.m.	0	2	216	0
TOTAL (A)						216	0
ADDITIONAL 5% VISITOR PARKING (B)						11	11
TOTAL PARKING PROVIDED						227	11

TABLE NO. 8A. PARKING SPACE REQUIREMENT

S. NO.	TYPE OF VEHICLE	MIN. SIZE/DIM. OF PARKING SPACE
1	Motor Vehicle	3.5M x 5.0M
2	ScOOTER	1.0M x 2.0M
3	Auto-rickshaw/Mini Bus	3.75M x 7.5M



Approved subject to condition mentioned in this office.
 (O.A. order no. ESR/PK/AY/14/2014)
 DATE: 17/09/2014
 1/17/14
 E.A. Engineering Permission
 M.H.O.D.
 M.H.O.D.

CONTENTS OF SHEET:

PARKING LAYOUT

PROFORMA 'B'

DESCRIPTION OF PROPERTY:
 PROPOSED LAYOUT PLAN OF RAY NAGAR HOUSING PROJECT FOR ECONOMICALLY WEAKER SECTION ON LAND SPAN NO. 986 (P) AT POST - KUMBARHAI, T.N.L. SOLAPUR

LAND OWNER & DEVELOPER:
RAY NAGAR CO-OPERATIVE HOUSING SOCIETIES FEDERATION LTD.
 KUMBARHAI, SOUTH-SOLAPUR

NAME & SIGNATURE OF ARCHITECT:

N.A.M. ARCHITECT
 AR. PRAVIN P. DEODHAR - CA/2011/51829

PROJECT ARCHITECT:
N.A.M. ARCHITECT
 AND ASSOCIATES
 SHARD BHAKAT SINGH ROAD, NR. BHAKAT GANJ, KUMBARHAI (E) 412201
 TEL: 0209-2822222

DATE: _____
 DRAWN BY: SHABIR PD
 CHECKED BY: SHABIR PD
 DATE: _____

12.00 M. WIDE APPROACH ROAD FROM SANCTIONED LAYOUT OF S. No. 1038/A/6
 SITE LAYOUT PLAN DT.
 SCALE = 1:250

GAT NO 1038/A/6

12.00 M. INTERNAL ROAD

AREA UNDER PROPOSED ROAD

ADJ. GAT NO 986(p)



ADJ. GAT NO 985

UNIT AND FINISHING SCHEDULE

NO	DESCRIPTION	UNIT	FINISHING	REMARKS
1	WALLS	1.20 x 1.20	1.20	1.20
2	FLOORS	1.20 x 1.20	1.20	1.20
3	CEILING	1.20 x 1.20	1.20	1.20
4	DOORS	1.20 x 1.20	1.20	1.20
5	WINDOWS	1.20 x 1.20	1.20	1.20
6	PAINT	1.20 x 1.20	1.20	1.20
7	PLASTER	1.20 x 1.20	1.20	1.20
8	GLAZING	1.20 x 1.20	1.20	1.20
9	ROOFING	1.20 x 1.20	1.20	1.20
10	MECHANICAL	1.20 x 1.20	1.20	1.20
11	ELECTRICAL	1.20 x 1.20	1.20	1.20
12	WATER SUPPLY	1.20 x 1.20	1.20	1.20
13	SEWERAGE	1.20 x 1.20	1.20	1.20
14	LANDSCAPING	1.20 x 1.20	1.20	1.20
15	FINISHING	1.20 x 1.20	1.20	1.20

CARPET AREA STATEMENT

Sl. No.	Room	Room Size (m ²)	Area (m ²)	Net Area (m ²)	Carpet Area (m ²)	Remarks
1	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
2	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
3	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
4	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
5	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
6	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
7	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
8	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
9	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
10	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
11	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
12	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
13	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
14	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
15	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
16	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
17	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
18	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
19	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
20	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
21	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
22	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
23	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
24	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
25	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
26	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
27	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
28	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
29	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
30	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
31	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
32	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
33	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
34	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
35	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
36	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
37	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
38	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
39	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
40	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
41	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
42	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
43	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
44	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
45	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
46	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
47	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
48	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
49	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
50	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
51	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
52	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
53	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
54	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
55	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
56	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
57	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
58	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
59	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
60	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
61	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
62	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
63	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
64	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
65	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
66	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
67	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
68	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
69	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
70	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
71	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
72	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
73	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
74	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
75	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
76	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
77	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
78	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
79	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
80	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
81	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
82	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
83	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
84	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
85	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
86	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
87	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
88	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
89	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
90	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
91	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18
92	Bed Room	2.50 x 2.91	7.28	6.78	6.78	As per drawing of building. Reg No 2/18
93	Kitchen	2.50 x 1.91	4.78	4.28	4.28	As per drawing of building. Reg No 2/18
94	Bath	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
95	WC	1.20 x 1.20	1.44	1.20	1.20	As per drawing of building. Reg No 2/18
96	Pass	1.30 x 0.745	0.97	0.97	0.97	As per drawing of building. Reg No 2/18
97	Balcony	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
98	Loft	2.50 x 1.00	2.50	2.50	2.50	As per drawing of building. Reg No 2/18
99	OT/Balcony	2.50 x 0.75	1.88	1.88	1.88	As per drawing of building. Reg No 2/18
100	Living Room	2.50 x 3.60	9.00	8.50	8.50	As per drawing of building. Reg No 2/18



CONTENTS OF SHEET:
FLOOR PLANS, FRONT ELEVATION & AREA CALCULATIONS

DESCRIPTION OF PROPERTY:
PROPOSED LAJOURT PLAN OF RAY NAGAR HOUSING PROJECT FOR ECONOMICAL WEAKER SECTION ON LAND BEARING S. No. 986 (P) AT POST - KUMBHARI, TAL. SOLAPUR

LAND OWNERS & DEVELOPER:
RAY NAGAR CO-OPERATIVE HOUSING SOCIETIES FEDERATION LTD. KUMBHARI, SOUTH SOLAPUR

NAME & SIGNATURE OF ARCHITECT:
AR. PRAVIN B. DEODHAR, CA / 2011 / 51823

PROJECT ARCHITECT:
MAM ARCHITECTS
MAM ARCHITECTS
PLOT NO. 10, MIDC AREA, KUMBHARI, TAL. SOLAPUR

DATE: 01/01/2011

PROJECT CODE: 3/4

DESIGNER: SHABER PD PD PD

Approved subject to conditions mentioned in this order
10.A. Validity of EEP/SP/VA/MS/DAV 02/11/2011
Date: 01/01/2011 & Form C to be issued

Et. Engg. (04) Pravin B. Deodhar
MAM ARCHITECTS
KUMBHARI, SOUTH SOLAPUR

