#### MUMBAI HOUSING AND AREA DEVELOPMENT BOARD

A REGIONAL UNIT OF

## (MAHARASHTRA HOUNSING AND AREA DEVELOPMENT AUTHORITY)

Tel no.- 022-66405220, E-mail eelect.mhada@gmail.com

Ref. No.- EE/Elect/M.B./Quotation/ /2024 Date-

#### Notice to Agency for rates only

Executive Engineer / Electrical Division / Mumbai Housing and Area Development Board, Room no.368, 2<sup>nd</sup> Floor, Grihnirman Bhavan, Kalanagar, Bandra (East), Mumbai-400051 is inviting the quotation for obtaining rate of item only from contractor / agencies having experience in carrying out similar type of work and GST Number. Contractor / agency required to submit the Quotation rates with & without GST and duly signed with seal. Sealed quotation will be received in the same office on or before 30/05/2024 up to 5:00 PM. and opened on the next date if possible for the work mentioned below—

	Name of work and Description of Item	Make and model detail	Quan tity with unit	Rate with out GST	% GST	Total Rate
1.	Supplying installation, testing and commissioning of Fire evacuation Lift for BDD worli scheme complying mandated by chief electrical Inspector's advisory on Installation of the Fire Evacuation Lifts no 235/2022 dated 20/07/2022 for height 70 Mtrs and above					
	· Rated capacity :- 8 Passenger/544Kg		1 no			
	• Two hours fire rating for sandwiched cabin panels with Two hours fire rating cabin door					
	Two hours fire rated glass vision on door as mandated by	=				
	statutory body with required size Floors: - G+41 floor (41Stops/41 Landings), · Travel: - 118 mtrs					
	· Location of Lift Machine:- MR, · Rated speed :- 2.5mps · Car/Landing door clear opening as per site requirement					
	· Clear Car size as per site requirement					
	Lift shaft available having clear size of as per site requirement car shall have emergency operation switch.					
	-two way communication system shall be provided in car as well as at every level <b>integrated with LOP</b>					
	-cables used in FEL shall be FRLS type					
	·two Operating console shall be provided one inside the lift and					
	second on the ground lobby					
	Backup Electric supply supply shall be provided with UPS for					
	at least 15min and it should be online supported and it					
	should be online supported by another regular and					
	alternate emergency supply. UPS shall be with jerk less elevator operation					
	arrangement shall be provided to connect the "Fire					
	Evacuation Lift" to building DG set and the external					
	vehicle mounted D.G. Set.					
	It shall have IOT based control panel and OEM shall access					
	real time data, ·FEL shall have trap door on roof ·First year DLP along with comprehensive AMC shall be included					
	Depth as mandated by NBC and Chief electrical Inspector's					
	advisor, ·Agency shall get the required licenses from lift inspector					
2.	Supplying installation, testing and commissioning of Fire					
	evacuation Lift for BDD worli scheme complying mandated by					
	chief electrical Inspector's advisory on Installation of the Fire Evacuation Lifts no 235/2022 dated 20/07/2022 for height 70 Mtrs		1 no			
	and above					
	Rated capacity :- 15 Passenger/1020 Kg					
	• Two hours fire rating for sandwiched cabin panels with Two					
	hours fire rating cabin door  Two hours fire rated glass vision on door as mandated by					
	statutory body with required size					
	· Floors :- G+41 floor (41Stops/41 Landings), · Travel :- 118 mtrs					
	· Location of Lift Machine:- MR, · Rated speed :- 2.5mps					
	Car/Landing door clear opening as per site requirement     Clear Car size as per site requirement					
	Lift shaft available having clear size of as per site requirement					

	9			
	car shall have emergency operation switch.			
	•two way communication system shall be provided in car as well as			
	at every level integrated with LOP, cables used in FEL shall be			
	FRLS type, -two Operating console shall be provided one inside the			
	lift and second on the ground lobby			
	Backup Electric supply supply shall be provided with UPS for			
	at least 15min and it should be online supported and it			
	should be online supported by another regular and			
	alternate emergency supply. UPS shall be with jerk less			
	elevator operation			
	arrangement shall be provided to connect the "Fire			
	Evacuation Lift" to building DG set and the external			
	vehicle mounted D.G. Set.			
	It shall have IOT based control panel and OEM shall access			
	real time data			
	·FEL shall have trap door on roof, ·First year DLP along with			
	comprehensive AMC shall be included .			
	Depth as mandated by NBC and Chief electrical Inspector's			
	advisor, ·Agency shall get the required licenses from lift inspector			
3.	Comprehensive AMC per year for 8 Passenger/544Kg Fire	AM		
	evacuation lift for 2 <sup>nd</sup> year, 3 <sup>rd</sup> year it shall include replacement all	Per		
	worn out Fire evacuation lift parts such as ropes, LOPs, wires,	annu	ım	
	drives, batteries, fans, motors etc this list not exhaustive			
4.	Comprehensive AMC per year for 8 Passenger/544Kg Fire	AMO		
	evacuation lift for and 4 <sup>th</sup> year, 5 <sup>th</sup> year 6 <sup>th</sup> year. it shall include	Per		
	replacement all worn out Fire evacuation lift parts such as ropes,	annu	ım	
	LOPs, wires, drives, batteries, fans, motors etc this list not			
_	exhaustive	43.5	2	
5.	Comprehensive AMC per year for 15 Passenger/1020 Kg Fire	AMO	ا ك	
	evacuation lift for 2 <sup>nd</sup> year, 3 <sup>rd</sup> year it shall include replacement all	Per annu	120	
	worn out Fire evacuation lift parts such as ropes, LOPs, wires,	aimiu	uii	
6.	drives, batteries, fans, motors etc this list not exhaustive	AMO	7	
0.	Comprehensive AMC per year for 15 Passenger/1020 Kg Fire evacuation lift for 4 <sup>th</sup> year, 5 <sup>th</sup> year 6 <sup>th</sup> . it shall include replacement	Per	-	
	all worn out Fire evacuation lift parts such as ropes, LOPs, wires,	annu	m	
	drives, batteries, fans, motors etc this list not exhaustive	axiii d		
	unives, batteries, lans, motors etc tins list not exhaustive			

For any queries contact below officers:

Vinod Gaikwad, Dy. Engg, Electrical division:-

9886562020

### Terms and Conditions:-

- 1. Interested agencies shall contact above mentioned office for any clarification and collect the detailed expected sample estimation proforma from this office during working hours from 11 am to 5.45 pm in order to get standardized quotations.
- 2. Agency shall provide complete estimate for Supplying installation, testing and commissioning. Agency shall clearly mention scope of work with them and with MHADA to avoid future delay and ambiguity.
- 3. Agency has to quote the rate without GST & With GST with percentage of applicable GST for this work.
- 4. Agency has to submit the duly filled quotation along with required documents in sealed envelope.
- 5. Executive Engineer / Electrical Division / Mumbai Housing & Area Development Board reserves the right to accept or reject any or all quotation without assigning any reason.
- 6. The quotations are invited for **obtaining rates of item for estimation purpose**. The rates should be agency's Supplying installation, testing and commissioning and getting license price at site.
- 7. Agency shall submit min 10 number fire evacuation lift certificate installed for high rise building of 30 floors and above without which quotation shall be rejected
- 8. Agency shall submit test certificate from OEM for "fire Evacuation Lift" car and Landing doors, car, cabin etc shall be certified from central government or Maharashtra state or statutory agency such as CSIR-Central Building Research Institute (CBRI) etc or NABL approved lab for the minimum duration mandated CFO/PWD norms. In-house fire test certification shall not be accepted without which quotation shall be rejected

Executive Engineer, Electrical Division,

Mumbai Board

# MUMBAI HOUSING AND AREA DEVELOPMENT BOARD

A REGIONAL UNIT OF

## (MAHARASHTRA HOUNSING AND AREA DEVELOPMENT AUTHORITY)

Tel no.- 022-66405220, E-mail eelect.mhada@gmail.com

Ref. No.- EE/Elect/M.B./Quotation/

Date
/2024

#### Notice to Agency for rates only

Executive Engineer / Electrical Division / Mumbai Housing and Area Development Board, Room no.368, 2<sup>nd</sup> Floor, Grihnirman Bhavan, Kalanagar, Bandra (East), Mumbai-400051 is inviting the quotation **for obtaining rate of item only** from contractor / agencies/Manufacturerers having experience in carrying out similar type of work and GST Number. Contractor / agency required to submit the Quotation rates with & without GST and duly signed with seal. Sealed quotation will be received in the same office on or before 30/05/2024 up to 5:00 PM. and opened on the next date if possible for the work mentioned below—

	Name of work and Description of Item	Make & model detail	Quan tity with unit	Rate with out GST	% GST	Total Rate	
1	Supplying installation, testing and commissioning of Fire evacuation Lift for BDD worli scheme complying mandated by chief electrical Inspector's advisory on Installation of the Fire Evacuation Lifts no 235/2022 dated 20/07/2022 for height 70 Mtrs and above Rated capacity: - 8 Passenger/544Kg	·	1 no			(19)	
2	Supplying installation, testing and commissioning of Fire evacuation Lift for BDD worli scheme complying mandated by chief electrical Inspector's advisory on Installation of the Fire Evacuation Lifts no 235/2022 dated 20/07/2022 for height 70 Mtrs and above • Rated capacity: - 15 Passenger/1020 Kg		1 no				
	Two hours fire rating for sandwiched cabin panels with Two hours fire rating cabin door  Two hours fire rated glass vision on door as mandated by statutory body with required size  Floors:- G+41 floor (41Stops/41 Landings), , · Travel:- 118 mtrs · Location of Lift Machine:- MR  Rated speed:- 2.5mps , · Car/Landing door clear opening as per site requirement  Clear Car size as per site requirement , · Lift shaft available having clear size of as per site requirement  car shall have emergency operation switch. · two way communication system shall be provided in car as well as at ever level integrated with LOP, · cables used in FEL shall be FRLS type, · two Operating console shall be provided one inside the liand second on the ground lobby, · Backup Electric supply shall be provided with UPS for at least 15min and it should be online supported and it should be online supported by another regular and alternate emergency supply. UPS shabe with jerk less elevator operation arrangement shall be provided to connect the "Fire Evacuation Lift" to building Deset and the external vehicle mounted D.G. Set. , · It shall have IOT based control panel and OEM shall access reatime data, · FEL shall have trap door on roof · First year DLP along with comprehensive AMC shall be included  Depth as mandated by NBC and Chief electrical Inspector's advisor, · Agency shall get the required licenses from light inspector.						
3.	Comprehensive AMC per year for 8 Passenger/544Kg Fire evacuation lift for 2 <sup>nd</sup> year, 3 <sup>rd</sup> year it shall include replacement all worn out Fire evacuation lift parts such as ropes, LOPs, wires, drives, batteries, fans, motors etc this list not exhaustive		AMC Per annum				
4	Comprehensive AMC per year for 8 Passenger/544Kg Fire evacuation lift for and <b>4</b> <sup>th</sup> <b>year</b> , <b>5</b> <sup>th</sup> <b>year 6</b> <sup>th</sup> <b>year</b> . it shall include replacement all worn out Fire evacuation lift parts such as ropes, LOPs, wires, drives, batteries, fans, motors etc this list not exhaustive		AMC Per annum				
5	Comprehensive AMC per year for 15 Passenger/1020 Kg Fire evacuation lift for 2 <sup>nd</sup> year, 3 <sup>rd</sup> year it shall include replacement all worn out Fire evacuation lift parts such as ropes, LOPs, wires, drives, batteries, fans, motors etc this list not exhaustive		AMC Per annum				
6			AMC Per annum	¥			

For any queries contact below officers:

Vinod Gaikwad, Dy. Engg, Electrical division :-

9886562020

Detailed requirement, advertisement, terms and conditions can be downloaded from our website www.mhada.gov.in

Executive Engineer, Electrical Division,
Mumbai Board